

ADDRESS: _____

MATERIALS SPEC SHEET



FOUNDATIONS:

FOOTINGS:

Concrete mix _____
Strength psi _____
Reinforcing _____

FOUNDATION WALL:

Material _____
Reinforcing _____

FOUNDATION ANCHORAGE:

Anchor bolt size _____
Spacing _____

COLUMNS:

Material & sizes _____

PIERS:

Material & reinforcing _____

BASEMENT:

Waterproofing _____
Footing drains _____
Termite protection _____

CHIMNEYS:

Material Prefabricated (make and size) _____
Flue lining _____
Material _____
Heater flue size _____
Fireplace flue size _____
Vents (material and size) _____
Gas or oil heater _____
Water heater _____

FIREPLACES:

Type: solid fuel; gas-burning; circulator (make and size) _____

Fireplace:
Facing _____
Lining _____
Hearth _____
Mantel _____

EXTERIOR WALLS:

Wood frame:

Studs: Wood grade and species _____

Size and spacing _____

PARTITION FRAMING:

Studs: wood, grade, and species _____

Size and spacing _____

SUBFLOORING:

Material: grade and species _____

Size _____

Type _____

CEILING FRAMING:

Joists: wood, grade, and species _____

Size and spacing _____

ROOF FRAMING:

Rafters: wood, grade, and species _____

Roof trusses: grade and species _____

ROOFING:

Sheathing: wood, grade, and species _____

Spaced O.C. _____

Roofing _____

Grade _____

Size _____

Type _____

Underlay _____

Weight or thickness _____

Size _____

WALL COVERING:

Dry-wall walls, ceilings

Material _____

Thickness _____

Finish _____

WINDOWS:

Sleeping area window size _____

Clear opening size _____

STAIRS:

TREAD dimension _____

RISER dimension _____

HANDRAIL detail _____

BALUSTER detail _____

PLUMBING:

Fixture Number:

Sink _____

Bar Sink _____

Mud Sink _____

Lavatory _____

Water closet _____

Bathtub _____

Stall shower _____

Domestic water heater:

Type (gas or electric) _____

of units _____

ELECTRIC WIRING:

Service size _____

of outlets _____

of GFCI outlets _____

GARAGES:

Drywall size and type _____

5/8" type X required on ceiling when habitable space is located above garage.